
FLORA 2000 September 1988 September



●□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
●
●□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
●□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

ullet
ПП FLORAППППП http://www.hitachi.co.ip/pc/ПППППППП




000000	2. 4G-z
	DS-SS [] []
	40m
0000000	



0 0	0 0	0 0	0 0	٥		
Copyri ght	⊚ Htachi	, Lt d. 2002	2. Alrig	hts reserve	d.	

(\infty (\inft
Windows XP
●□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
TEL: 0120-2580-12(
■FLORA□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

	AS XP/Windows 2000
<u> </u>	
]
<u> </u>	
A	
⚠注意	
注意	
重要	
ヒント	
参照	00000000
電音	




	3
	. 3
	. 3
	7
	1.
10 000000000	10
LAN	
	۷.,
20 00000000000	27
20 0000000000000	~
30 000000000000	
	40

400000000000000000000000000000000000000	43
	44
	44
	45
	45
	46
	47
BI CS [] [] []	
	55
	57
	62
	62
	63

⚠警告
⚠注意
注意

⚠警告






\mathbf{A}	

AC
参照 □ □ □ □ → P. 21

]						


U	
	\square \square \square \square \square

0	
\Diamond	







⚠警告




⚠警告

] []																	
(\setminus)																			
	ПГ	ПΓ	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	П	











 注	意
\Diamond	
0	□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
0	O O O O O O O O O O
\Diamond	
\Diamond	
0	






注意


	000000000
U	














 \bullet




• AC [[[[[[




ullet














- ●□□□□□□□□□□□ Microsoft® Windows® XP Professional
- ●□□□□□□□□□□ Mcrosoft® Windows® 2000 Professional


- ullet
- ullet
- ullet
- Bl OS [] []
- ullet

ヒント



•0000000000000000000000000000000000000
Windows







 $\begin{picture}(1998) \put(0.000){\line(1998)} \put(0.000){\line(1998$

⚠警告

注意



- 4 AC0 0 0 0 0 AC0 0 0 0 0 0 0 0 0 0 0 0
- 5 xc.......



ヒント


参照

参照

♠ 警告

⚠警告


LANGER




ヒント

- * 00000 LAN00000

重要






ヒント

重要

⚠警告

⚠注意



,0 0 0 0 0 0 0 0 0 0 0 0 0 0 20 0 0 USB0 * 0 0 0 0 0 0

,00000000000000002000000


ヒント


参照



 $\bigcirc \hspace{.1in} \bigcirc \hspace{.1in} \hspace{.1in} \bigcirc \hspace{.1in} \hspace{.1in} \bigcirc \hspace{.1in} \hspace{.1in} \bigcirc \hspace{.1in} \hspace{.1in} \hspace{.1in} \hspace{.1in} \bigcirc \hspace{.1in} \hspace{.1in} \hspace{.1in} \hspace{.1in} \hspace{.1in} \hspace{.$







 $\ \, 0 \ \, \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, \, 0 \ \, \, 0 \ \, 0 \ \, 0 \ \, 0 \ \, \, 0 \ \, \, 0 \ \, 0 \ \, \, 0 \$


ヒント


ヒント

2[]


	П	П		П	П	П	П	
_		_	 				 	ш











00000	000000


HDD) FDD)
CapsLock [] []
Nunbock
Bluetooth[Wreless]



重要

重要







[Wireless] 🛮 🖺


[Mail] 🛮 🗘

[Internet] 🛮 🖺

重要








ヒント

- * 0000000000000 000000000000000
- 重要

重要

00000000000




ヒント

参照

便要


重要





重要

000000000000000



2 FD0 0 0 0 0 0 0 0 FDD0 0 0 0 0 0 0 0



FD[] []


00000000

- $oldsymbol{1}$ FDO FDOO $oldsymbol{0}$
- 2[0000000]0035000 FQ(A)00000000
- 4 0 0 0 0 0 0 0 FD0 0 0 0 0 0 1 0 1 0 1 44MB 0 0 0 0 720KB 0 0 0 0 0 0
- **5** (00)0000000000

重要

参照





3[]


<u>^注意■□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□</u>
<u>↑注意■000000</u>
注意


参照

0000000*	00001	0 0 0 2
128MB	128MB	
256MB	128MB	128MB
2001/10	256MB	_
384MB	128MB	256MB
364ND	256MB	128MB
512MB	256MB	256MB

重要


参照






ヒント

参照













11				11		
ш			Ш	Ш	Ш	





0000	000000	0000
4 🗆		_ 1
3 🛮		□ 6

0000000	000000	0000
Equipment Configuration Error		<pre>[] 2</pre>
Floppy Disk Controller Error		<u> </u>
Real Time Clock Error		[] 3
CMOS Battery Bad	0x0500000000000000000000000000000000000	[] 3
CMOS ChecksumError	CMOS- RAM[] [] []	4
Incorrect password specified. Systemdisabled.		<u> </u>

- 03.0000000000000000







重要

参照

□ □ □ □ □ □ □ □ □ □ □ □ □ □ → 1
□ □ □ □ □ □ □ □ □ (P. 20)



	1] [] [
] []] []] []] [] []][
		^	n	6	r	^[^	Ē]																
] [] [
	[1] [] []] [
] [] [/ [] [] []] []								
Ξ	1	[[] [[[] [] []] [] [(P_ [_]])] [
				_ '				_							_										
	1] [] [[] [] []]] ((98 [] [] [] [] [] [] []] [] [] [] [(Œ	rl [])] [] [

$oldsymbol{A}$	
	参照
	0 0 0 30 0 0B 0S0 0 0 0 0 0
() Windows	
	とント * Wndows 2000





```
□ Windows XP□□□□
_ _ _ _ _ ] _ _ _ _ Windows _ _
40000000000000000
□ Windows 2000 □ □ □
☐ Windows 98 ☐ ☐ ☐ ☐
Q
00000000000000000000
Q
| Windows XP| Windows 2000 | | | |
☐ Windows 98 ☐ ☐ ☐
0000000000000000
∏ Windows XP 🛛 🗎 🖺
_ _ _ _ _ ] _ _ _ _ Windows _ _
40000000000000000
☐ Windows 2000 ☐ ☐ ☐ ☐
```

■ Windows 98 ■ □ □ □ _____(\ldot \ldot 5 [OX] [] [] [2] [] [] [] [] [Q \boldsymbol{A} Q \boldsymbol{A} 00000000000000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 5 [OX] [] [] [] 2 [] [] [] [] []

参照

| Windows | | | | | | | | | | | | | | |






5 Windows [[] [] [] [] [


Windows XP[] Windows 2000[] _ _ Windows _ _ _ _ _ _ _ _ _ _ _ _ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 00000000000000

Q \boldsymbol{A} Q \boldsymbol{A} 000000000000000 BIOST Q 参照 Bl CS $\mathsf{CS$ Q 参照 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 \boldsymbol{A} [[[[P. 3] ヒント Q 00000000000000 \boldsymbol{A} 0000000000000 参照



参照





	00	270WN/8					
CPU		Mobile Intel® Pentiun® 4 processor 1.69-bz					
		20KB(CPU [[])					
		512KB(CPU[] [])					
		□ □ □ □ 0 □ 512MB					
	(1 2)	128 [512MB (DDR-SDRAM)					
RAM		512MB					
		16MB [] (COR-SCRAM)					
ROM		BIOS 512KB (Flash ROM)					
	□ □ 1)	15 TFT(1024 × 768) 15 TFT(1400 × 1050)					
		8 × 19 🛮 🗎 🖂 80 🖨 × 25 🖂					
		16 × 19 🛮 🗘 🖂 40 🖂 × 25 🖂					
	640 × 480 [] [] []	256 [[65536 [] 1677 []					
	800 × 600 [] [] []	256 [[65536 [] 1677 []					
	1024 × 768 🛮 🗎 🖸	256 [[65536 [] 1677 []					
(🛮 🗎 🖂 3)	1280 × 1024 [] [] []	256 [[65536 [] 1677 []					
	1400 × 1050 🛮 🗎 🗎	256 [[65536 [] 1677 []					
	1600 × 1200 🛮 🗎 🗎	256 [[65536 [] 1677 []					
FDD		3.5					
HDD([] [] 1 [] 4)		20Œ [40Œ					
000000(0	□ □ 1)						
	□ □ 1)						
00000		00 000					
00000		87 [] []					
0000000							
0000000	D 1D						

	00	270WN/8
		1
		1
		1
	EEE1394	1 0 4 111
	LSB	2
	LAN	1 () EEE802.3 () () () () () () () () () () () () ()
		1
		1 VESA/ DDC1/2B
		1 D PG 97 D D D D
LAN	1[]	
Bl uet oot h TM] [] []	<pre>1</pre>	□□□□ (Bluetooth [™] Specification Ver. 1. 1 □□)
PC	0 0 0 0 50	Typell×2□□□ Typelll×1 PC Card Standard (JELTA Ver.4.2)□□ CardBus□□
		50/ 60Hz
		AC100V ± 10%
		_ 23W
		74W
(🛮 🗎 🖯 6)		□ 2.3W
		□ 1. 0W
		S
		0. 00054
	8)	326nm(W) × 275nm(D) × 41.8nm(H)
0000090		☐ 3.2kg
	(5∏ 35 ℃
		- 10
		- 10 □ 60 °C
		20 80 Rh()
		20
		20 80 Rh()
		25 °C

ヒント

- * 00000000000000000

Windows XP [[] [256 [] [] [$640\times$ 480 [] [] [] [] [] [] []

参照

- 🛨 🔲 🗠 12V 🗸 🖺 🗎 🗎 🗎 🗎 🗎 🖈 12 N 🗸 🗎 12 N 🗸 🗎 12 N 🗸 🗎 12 N 🖠

ヒント

重要

	1 Г		
1 1			11
1 1			11
ш	JL	_	

0 0	
	*1
	*2
CD- ROM[] [] []	
CD-P/ RW[] [] []	*3
DVD-ROM60D-RY RW]	
	*1[] 4
	*1
	*2
	*1
ACD D D D	*1
	*5
	*6

企注意

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

```
LAN [ ] [ ] 22
0
OS 3
_ _ _ _ 20
_ 20
_ _ _ _ 28
______40
_ _ _ 23
```

◎ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Copyright © Hitachi,Ltd. 2002. All rights reserved.

